

RESPIRATORY PROTECTION

PRODUCT STYLES



Filtering Facepiece Respirator-FFR



VENUS-9700
Convex-Mesh Large Filter Style



VENUS-9400
Fold Flat-Mesh Style



VENUS-9200
Convex Mesh-V90 Style



VENUS-4400
Fold Flat-V44 C & V Style



VENUS-4200
Fold Flat-Large Filter V414, 410 Style



VENUS-2900
Convex-Double Shell Style



VENUS-2700
Convex - Large Filter Style



VENUS-2400
Convex - Seam V210 Style



VENUS-2200
Convex-V20 Style



VENUS-1100
Fold Flat - Beetle Style



VENUS V-Shwas
Fold Flat - Ear Loop Style



VENUS V-1010
3ply Surgical -
Ear Loop / Tie Style

V-9400

Fold Flat - Mesh Style

Products available with below approval

IS 9473



CM/L-0007143057



FEATURES AND BENEFITS



Compatible with Other PPE

- Non-interference with other PPE - eye, hearing & head protection



Fold Flat Design

- Easy to store while not in use
- Stylish universal design



Net Reinforced Shell

- Well-integrated structure maintains the shape, disallowing collapse
- Suitable for rough handling



Superior Technology Micro Fine Filter Media

- Made from special engineered fabrics which are extremely easy to breathe in and also provide higher protection of up to 0.3 microns
- Composed of multiple layers: pre-filter, fine filter and skin comfort layer



Embedded Nose Clip

- No metal exposure or loose parts
- Leak-proof fit
- Does not interfere safety of your production (pharma/food)



Nose Liner

- Does not interfere with eyewear
- Prevents leakage through mask
- Does not fog eyewear
- Provides good fit and comfort



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air, minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F
- Helps in breathing comfort and enhances respirator wear for a longer period



Transparent Valve Vent

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustment requirements to provide comfortable fit



Elastic Sewn Outside Filter Area

- Sewn head straps provide better pull strength



Latex Free Textile Elastic

- These materials have long life, are skin friendly and do not deform in high temperature
- Provide soft feel when in contact with skin and provide good fit



VENUS V-9420 V

CLASS: FFP2 S 

Protection: Solid Dust / Mist

M.U.L: Upto 12 x OEL

Item #	Colour	Elastic	Packing
110497901	GREY	SEWN	Pack of 15
140490401	GREY	SEWN	Blister pack of 3

APPLICATION EXAMPLES

Automobile

Oil based CNC machine, Powder coating, Maintenance department

Battery Industry

Acid handling, Lead handling, Smelting

Chemical Industry

Arsenic, Cadmium, Lead, Other chemical, Powder handling

Pharmaceuticals Miscellaneous

Bulk drugs, Material handling
Oil spraying, Lubricating

V-2700

Convex - Large Filter style

Products available with below approval



0121

EN 149:2001+A1:2009



FEATURES AND BENEFITS



Anti Clogging (NR D)

- Having passed dolomite test, it resists clogging even in high dust environments



Microfibre media

- Provides protection against sub-micron particles, fine dust, water/oil based liquid mist and biological agents



Convex large filter area style

- Good breathing comfort



Transparent Valve

- Transparent valve clearly demonstrates the performance of valve. It also supports fit verification



Stay cool butterfly vent valve

- Provides breathing comfort and promotes easy communication. Effectively removes heat build-up



Front pull adjuster

- With broad elastic gives fit & relieves strap pressure



Full foam seal

- For leakproof comfortable fit on edges



Latex free textile elastic

- Provides comfortable fit
- Non allergic
- Does not deform in high temperature



Elastic welded outside filter media

- Leakproof
- Avoids puncture in filter area



Activated carbon, (V2735)

- For Adsorption of nuisance level of obnoxious odour and vapour



Outer flame retardant layer (V2735)

- Protects from welding sparks



VENUS V-230 SLV

CLASS: FFP3 NR D CE

Protection: Solid Dust / Oil Mist

M.U.L: Upto 30 x OEL

Item #	Colour	Elastic	Packing
110259901	WHITE	WELDED	Pack of 5
140256601	WHITE	WELDED	Blister pack of 1



VENUS V-2735 SLOV-V*

CLASS: FFP3 NR D CE

Protection: Solid Dust / Oil Mist / Nuisance Level of odour

M.U.L: Upto 30 x OEL

Activated Carbon layer
Flame retardant outer layer

Item #	Colour	Elastic	Packing
110260901	GREY	WELDED	Pack of 5
140256701	GREY	WELDED	Blister pack of 1



APPLICATION EXAMPLES

Chemical
Automobile

Battery
Pharmaceuticals
Ceramics

Material handling, Material processing
Painting, Powder coating, Welding,
Maintenance work
Lead handling
Bulk drugs, Material handling
Material mixing

Metal Fabrication
Agriculture
Engineering

Effluent Treatment
Plant

Soldering, Welding, Metal pouring, Smelting
Pesticides, Insecticide spraying
Welding, Sand blasting, Buffing, Powder coating
Painting, Cutting
Maintenance

V-9700

Convex Mesh Large Filter Style



42 CFR Part 84

NIOSH Approved P100 Respirators
Highest Protection



FEATURES AND BENEFITS



Compatible with Other PPE

- Non-interference with other PPE - eye, hearing & head protection



Net Reinforced Shell

- Well-integrated structure maintains the shape, disallowing collapse
- Suitable for rough handling



Superior Technology Micro Fine Filter Media

- Protects against respirable suspended particulate matter while improving breathing comfort
- Composed of multiple layers: pre-filter, fine filter and skin comfort layer
- Protects against water/oil based liquid, mist and biological agent



Cut Seal Edge

- Minimum loose fiber from edge



Wide Aluminum Nose Clip

- Strong flexible clip to get customized fit around nose and avoid fogging of spectacles due to exhalation



Full Foam Seal

- Secure and comfortable fit on edges



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air and minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F
- Helps in breathing comfort and enhances respirator wear for a longer period



Front Pull Adjuster Clips

- Clip welded outside filter area to avoid puncture in filter area
- Relieves strap pressure & fits right



Broad Textile Elastic, Produced from Poly Iso Prene

- Provides comfortable fit
- Good for skin comfort while used in tough conditions
- Does not deform in high temperature



VENUS RPD914P100

CLASS: P100



TC-84A-7887

Protection: Oil based particles

M.U.L. Upto 30 X OEL

Item #	Colour	Elastic	Packing
110262601	MAGENTA	WELDED	Pack of 5
140256201	MAGENTA	WELDED	Blister pack of 1

APPLICATION EXAMPLES

Automobile

Oil based CNC machine, Powder coating, Maintenance department

Battery Industry

Acid handling, Lead handling, Smelting

Chemical Industry

Arsenic, Cadmium, Lead, Other chemical, Powder handling


Pharmaceuticals Miscellaneous

Bulk drugs, Material handling
Oil spraying, Lubricating

V-9200

Convex Mesh - V90 Style

Products available with below approvals



FEATURES AND BENEFITS



Compatible with other PPE

- Non-interference with other PPE - eyes, hearing & head protection



Dual Shell Design

- Durable in repeat/long wears



Net Reinforced Shell

- Well-integrated structure maintains the shape, disallowing collapse
- Suitable for rough handling



Superior Technology Micro Fine Filter Media

- Protects against respirable particulate suspended particulate matter while improving breathing comfort
- Composed of multiple layers: pre-filter, fine filter and skin comfort layer
- High dust holding capacity, can be used over long/ repeat wearing periods of wear time
- Doesn't let the filter clog, thereby increasing the respirator's life



Cut Seal Edge

- Minimum loose fiber from edges



Embedded Nose Clip

- No metal exposure or loose parts
- Leak-proof fit
- Does not interfere safety of your production (pharma/food)



Braided Textile Elastic

- Does not deform in repeat wear or high temperature



Nose Liner (V-9210)

- Does not interfere with eyewear
- Prevents leakage through mask
- Does not fog eyewear
- Provides good fit and comfort



Half Foam Seal (V-90, V-9220)

- Provides leak-proof and comfortable fit



Full Foam Seal (V-9230)

- Secure and comfortable fit on edges



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air, minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F
- Helps in breathing comfort and enhances respirator wear for a longer period



Transparent Valve Vent

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustment requirements to provide a comfortable fit



Elastic Sewn Outside Filter Area

- Sewn head straps provide better pull strength



VENUS V-90 V

CLASS: FFP2 S

Protection: Solid Dust / Mist
M.U.L: Upto 12 x OEL

Item #	Colour	Elastic	Packing
110904701	YELLOW	SEWN	Pack of 10
110904801	GREY	SEW/N	Pack of 10
140903601	GREY	SEW/N	Blister pack of 3



VENUS V-90 + V DURA

CLASS: FFP2 S

Protection: Solid Dust / Mist
M.U.L: Upto 12 x OEL

Item #	Colour	Elastic	Packing
110903801	YELLOW	SEW/N	Pack of 10
110904001	WHITE	SEW/N	Pack of 10
110903901	GREY	SEW/N	Pack of 10
110904101	L BLUE	SEW/N	Pack of 10



VENUS V-9210 SLV

CLASS: FFP1 NR D

Protection: Solid Dust / Mist
M.U.L: Upto 4 x OEL

Item #	Colour	Elastic	Packing
110905101	BLUE	SEWN	Pack of 10



VENUS V-9220 SLV

CLASS: FFP2 NR D

Protection: Solid Dust / Mist
M.U.L: Upto 10 x OEL

Item #	Colour	Elastic	Packing
110905001	GREY	SEW/N	Pack of 10



VENUS V-9230 SLV

CLASS: FFP3 NR D

Protection: Solid Dust / Mist
M.U.L: Upto 30 x OEL

Item #	Colour	Elastic	Packing
110904901	WHITE	SEW/N	Pack of 10
140903701	WHITE	SEWN	Blister pack of 3

APPLICATION EXAMPLES

Automobile
Construction
Ceramics
Cement

Buffing, Cutting, Grinding
Sanding, Drilling, Cutting, Carpentry
Moulding, Material handling, Raw material storage
Crushing, Bagging, Cement handling

Engineering
Mining
Tyre

Sand Blasting, Cutting
Drilling, Material handling
Carbon black

V-4400

"FOLD FLAT" V & C Style

Products available with below approvals



Approved N95 respirators
Filters >95% non-oil-based particles



FEATURES AND BENEFITS



Lightweight

- Lightweight construction promotes greater worker acceptance and may help increase wear time



Compatible with other PPE

- Non-interference with other PPE - eye, hearing & head protection



Superior Technology Micro Fine Filter Media

- Protects against respirable particulate suspended particulate matter while improving breathing comfort
- Composed of multiple layers: pre-filter, fine filter and skin comfort layer



Dotted Pattern Edges

- For soft feel on face contours



Transparent Valve Vent

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



FDA approval series respirator undergo additional tests for

- Fluid & Splash resistance which helps reduce potential exposure to blood & body fluid
- Cytotoxicity test where respirator is tested against causing skin allergies and irritation
- Flammability test where respirator is exposed to flames in controlled environment.



Unique fit adjusters

- Unique fit adjusters present on head band which can be used to fit user face profile.



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustments requirements to provide a comfortable fit



Broad Textile Elastic, Produced from Poly Iso Prene

- Provides comfortable fit, good for skin comfort while use in tough conditions
- Does not deform in high temperature



Elastic Welded/Stapled Outside Filter Area

- Welded head strap which provides leak-proof and optimum comfort



Embedded Nose Clip

- No metal exposure or loose parts
- Leak-proof fit
- Does not interfere safety of your production (pharma/food)



Fold flat "C" Shape mask

- Stylish universal design which gives better visibility to user
- Easy to store when not in use



Each mask is individually single packed

- Protects from contamination
- Easy storage-dispensing

APPLICATION EXAMPLES

Agriculture

Textiles

Food & Beverages

Medical

Grain dust, Pollen dust

Spinning, Weaving

Food processing and raw material handling

Doctors, Supporting staff, Patients

Hospitality

Road & Traffic

House-keeping services, General use

Road pollution



VENUS V-44+

CLASS: FFP1 S

Protection: Solid Dust / Mist

M.U.L.: Upto 4 x OEL

V Style

Item #	Colour	Elastic	Packing
110498001	YELLOW	STAPLED	Bag of 50
110498002	YELLOW	STAPLED	Carton of 1000
140490201	YELLOW	STAPLED	Blister pack of 3



VENUS V-44++

CLASS: FFP1 S

Protection: Solid Dust / Mist

M.U.L.: Upto 4 x OEL

Item #	Colour	Elastic	Packing
110497701	YELLOW	STAPLED	Bag of 50
110497801	GREY	STAPLED	Bag of 50
110498101	WHITE	WELDED	Bag of 50
110494801	WHITE	STAPLED	Bag of 50



VENUS V-404 Ear-loop

CLASS: FFP1 S

Protection: Solid Dust / Mist

M.U.L.: Upto 4 x OEL

Item #	Colour	Elastic	Packing
110499201	GREY	WELDED	Pack of 50
110499301	YELLOW	WELDED	Pack of 50



VENUS V-444+

CLASS: FFP2 S

Protection: Solid Dust / Mist

M.U.L.: Upto 12 x OEL

Item #	Colour	Elastic	Packing
110499401	L YELLOW	STAPLED	Bag of 50
140490101	L YELLOW	STAPLED	Blister pack of 3



VENUS V-4400 SN95

CLASS: Surgical/N95

US FDA Approved

TC-84A-9378

Protection: Non oil based particles

Item #	Colour	Elastic	Packing
130404301	WHITE	WELDED	Single's Bag
140489801	WHITE	WELDED	Blister pack of 3

Note: Fluid resistance conforms to ASTM F1862 at 120 mmHg.




VENUS V-4400 N95

CLASS: N95

TC-84A-8126

Protection: Non oil based particles

Item #	Colour	Elastic	Packing
130404401	WHITE	WELDED	Pack of 50
130404501	WHITE	WELDED	Singles, pack of 25
140489701	WHITE	WELDED	Blister pack of 3



VENUS V-4410 SL

CLASS: FFP1 SL

Protection: Solid Dust / Mist

M.U.L.: Upto 4 x OEL

Item #	Colour	Elastic	Packing
140490001	WHITE	WELDED	Blister pack of 3



VENUS V-4420 SLV

CLASS: FFP2 SL

Protection: Solid Dust / Mist

M.U.L.: Upto 10 x OEL

Item #	Colour	Elastic	Packing
140487701	WHITE	WELDED	Blister pack of 3

V-4400

"Fold Flat" - C Style



FEATURES AND BENEFITS



Lightweight

- Lightweight construction promotes greater worker acceptance and may help increase wear time.



Compatible with other PPE

- Non-interference with other PPE - eyes, hearing & head protection



Superior Technology Micro Fine Filter Media

- Protects against respirable particulate suspended particulate matter while improving breathing comfort
- Composed of multiple layers: pre-filter, fine filter and skin comfort layer



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustments requirements to provide a comfortable fit



Knitted Elastic

- Comfortable and safe while in use



Elastic Welded / Stapled Outside Filter Area

- Welded head strap which provides leak-proof and optimum comfort



VENUS V-4420+ IN95

CLASS: IN95 

Protection: Solid Dust / Mist

M.U.L.: Upto 12 x OEL

Item #	Colour	Elastic	Packing
130414401	WHITE	WELDED	Pack of 50



VENUS V-4420 E

CLASS: FFP2 S 

Protection: Solid Dust / Mist

M.U.L.: Upto 12 x OEL

C Style

Item #	Colour	Elastic	Packing
130404601	WHITE	WELDED Ear-loop	Single's Bag Pack of 25
130404701	WHITE	WELDED Ear-loop	Pack of 50



VENUS V-4420+

CLASS: FFP2 S 

Protection: Solid Dust / Mist

M.U.L.: Upto 12 x OEL

Item #	Colour	Elastic	Packing
130403901	WHITE	WELDED	Single's Bag
130404001	WHITE	WELDED	Pack of 50
110425501	LBLUE	WELDED	Pack of 50
140489901	WHITE	WELDED	Blister Pack of 3

APPLICATION EXAMPLES

Agriculture

Textiles

Food & Beverages

Medical

Grain dust, Pollen dust

Spinning, Weaving

Food processing and raw material handling

Doctors, Supporting staff, Patients

Hospitality

Road & Traffic

House-keeping services, General use

Road pollution

V-1010

"3 Ply" Style Surgical Ear-loop / Tie

IS 16289



CM/L-7800022615

Approved Class 1, 2, available.
(Bacteria Filtering efficiency) of 98%



FEATURES AND BENEFITS



Class of filters in 3 Ply

- ▲ Class3 masks are certified and tested against Fluid & Splash resistance which helps reduce potential exposure to blood & body fluid
- ▲ Class2 mask have BFE (Bacteria Filtering efficiency) of 98%



Embedded nose clip inside the mask

- ▲ No metal exposure or lose parts
- ▲ Metal nose clip provides good fit over plastic wire



Welded head strap

- ▲ Leak-proof & Optimum comfort



Latex free textile strap

- ▲ These materials have long life are skin friendly and do not deform in high temperature
- ▲ Provide soft feel when in contact with skin and provide good fit.



Available in 2 headband styles

- ▲ Ear loop for easy donning and doffing
- ▲ Necktie to give secure fit as per face profile



Large face coverage

- ▲ Large breathing space within mask.
- ▲ 3 panel design to cover wide face area



Dispenser pack

- ▲ Packaged in easy to open



VENUS V-1010 Earloop

CLASS: 1 & 2



Protection: Solid Dust / Mist

Item #	Colour	Elastic	Packing
130402301	L.Blue	Ear loop welded - Class 2	Pack of 50
130415101	L.Green	Ear loop welded - Class 1	Pack of 50



VENUS V-1010 Tie

CLASS: 2



Protection: Solid Dust / Mist

Item #	Colour	Elastic	Packing
130402201	L.Blue	Tie	Pack of 50

APPLICATION EXAMPLES


Healthcare :
General Doctors, Dentist.

Laboratory :
Phlebotomist, Pathologist etc.

V-4200

Fold Flat - Large filter V414, V410 Style

Products available with below approvals



FEATURES AND BENEFITS



Anti-Clogging

- Allow to use in single shift
- Single Layer respirator



Compatible with other PPE

- Non-interference with other PPE - eye, hearing & head protection



Activated Carbon Granules Sandwiched Fabric Layer (V-414, V-425)

- Filter nuisance level organic vapour gases below TLV



Flame Retardant Outer Media (V-425)

- Enhanced user safety to protect from welding spark



Superior Technology Micro Fine Filter Media

- Protects against sub-micron particles, fine dust, water/oil based liquid mist and microbial agents



Embedded Nose Clip (V-4200, V-430)

- No metal exposure or loose parts
- Leak-proof fit
- Does not interfere safety of your production (pharma/food)



VENUS V-430 SL

CLASS: FFP3 NR D CE
Protection: Solid Dust / Mist
M.U.L: Upto 30 x OEL
Inside: Clip & Nose Liner

Item #	Colour	Elastic	Packing
110499001	WHITE	SEWN	Pack of 15



Big Nose Liner

- Does not interfere with eyewear
- Prevents leakage through mask
- Does not fog eyewear
- Provides good fit and comfort



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air, minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F



Transparent Vent Valve

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit user face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustments requirements to provide comfortable fit



Elastic Sewn Outside Filter Area

- Sewn head straps provide better pull strength



Latex Free Textile Elastic

- These materials have long life, are skin friendly and do not deform in high temperature
- Provide soft feel when in contact with skin and provide good fit



VENUS V-430 SLV

CLASS: FFP3 NR D CE
M.U.L: Upto 30 x OEL
Protection: Solid Dust / Mist
Inside: Clip & Nose Liner
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110496601	GREY	SEWN	Pack of 15
110498501	WHITE	SEWN	Pack of 15

*Note: This respirator nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.

APPLICATION EXAMPLES

Automobile

Painting, Powder coating, Welding, Maintenance work

Metal Fabrication

Soldering, Welding, Metal Pouring, Smelting

Agriculture

Pesticides, Insecticide spraying

Chemical Effluent Treatment Plant

Material handling, Material processing

Engineering

Welding, Sand blasting, Buffing, Powder coating, Painting, Cutting

Pharmaceuticals

Bulk drugs, Material handling

Battery

Lead handling

Ceramics

Material mixing



VENUS V-410

CLASS: FFP1 SL NR D 
CLASS: FFP1 S 

Protection: Solid Dust / Mist
M.U.L: Upto 4 x OEL

Item #	Colour	Elastic	Packing
110496801	YELLOW	SEWN	Pack of 30 
110496701	GREY	SEWN	Pack of 30 
110497401	YELLOW	STAPLED	Pack of 30 



VENUS V-410 V

CLASS: FFP1 S 
CLASS: FFP1 SL NR D 
Protection: Solid Dust / Mist
M.U.L: Upto 4 x OEL
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110497601	YELLOW	STAPLED	Pack of 20 
110497501	GREY	STAPLED	Pack of 20 
110497001	YELLOW	SEWN	Pack of 20 
110496901	GREY	SEWN	Pack of 20 
140490601	YELLOW	STAPLED	Blister Pack of 3



VENUS V-410+ V Nova

CLASS: FFP1 S 
Protection: Solid Dust / Mist
M.U.L: Upto 4 x OEL
Exhalation Vent Valve
Embedded Nose Clip

Item #	Colour	Elastic	Packing
110492701	YELLOW	STAPLED	Pack of 20
110492801	GREY	STAPLED	Pack of 20



VENUS V-4214 SLOV-V*

CLASS: FFP1 NR D 
Protection: Solid Dust / Oil Mist /
Nuisance Level of Organic Vapour /
Gases below > TLV
M.U.L: Upto 4 x OEL
Exhalation Vent Valve
Activated Carbon Layer

Item #	Colour	Elastic	Packing
110495901	GREEN	SEWN	Pack of 15



VENUS V-414 SLOV-V*

CLASS: FFP2 NR D 
Protection: Solid Dust / Mist /
Nuisance Level of Organic Vapour /
Gases below > TLV
M.U.L: Upto 10 X OEL
Exhalation Vent Valve
Activated Carbon Layer

Item #	Colour	Elastic	Packing
110495601	GREEN	SEWN	Pack of 15
140490701	GREEN	SEWN	Blister pack of 2



VENUS V-425 SLOV-V*

CLASS: FFP2 NR D 
Protection: Solid Dust / Mist /
Nuisance Level of Organic Vapour /
Gases below > TLV
M.U.L: Upto 10 X OEL
Exhalation Vent Valve
Activated Carbon & Flame Retardant
Outer Layer

Item #	Colour	Elastic	Packing
110495701	GREY	SEWN	Pack of 15
110498501	WHITE	SEWN	Pack of 15
140490801	GREY	SEWN	Blister Pack of 2



VENUS V-420 SL

CLASS: FFP2 NR D 
Protection: Solid Dust / Mist
M.U.L: Upto 10 X OEL

Item #	Colour	Elastic	Packing
110497101	WHITE	SEWN	Pack of 30



VENUS V-420 SLV

CLASS: FFP2 NR D 
Protection: Solid Dust / Mist
M.U.L: Upto 10 X OEL
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110497301	WHITE	SEWN	Pack of 15
110497201	GREY	SEWN	Pack of 15
140490901	WHITE	SEWN	Blister pack of 3



VENUS V-4200 N95

CLASS: N95 
TC-84A-8112
Protection: Non oil based particles
Inside clip & Nose liner
Exhalation vent valve

Item #	Colour	Elastic	Packing
130403801	WHITE	WELDED	Single's Bag
140490501	WHITE	WELDED	Blister pack of 3

V-2900

Convex - Double Shell Style

Products available with below approvals



42 CFR Part 84



FEATURES AND BENEFITS



Anti-Clogging

- Allow to use in multiple shift
- Single layer respirator



Compatible with other PPE

- Non-interference with other PPE - eye, hearing & head protection



Dual Shell Design

- Primary filter supports high dust retention capacity



Activated Carbon Granules Sandwiched Fabric Layer (RPD814P95, RPD714N950A0)

- For Adsorption of nuisance level of obnoxious odour and vapour



Flame Retardant Outer Media

- Enhanced user safety to protect from welding spark



Superior Technology Micro Fine Filter Media

- Protects against respirable particulate suspended particulate matter while improving breathing comfort
- Doesn't let the filter clog thereby increasing the respirator's life



Wide Aluminum Nose Clip

- Strong flexible clip to get customized fit around nose and avoid fogging of spectacles due to exhalation



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air, minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F
- Helps in breathing comfort and enhances respirator wear for a longer period



Transparent Valve Vent

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustment requirements to provide a comfortable fit



Front Pull Adjuster Clips

- Clip welded outside filter area to avoid puncture in filter area
- Relieves strap pressure & fits right



Elastic Welded / Stapled Outside Filter Area

- Welded head strap which provides leak-proof and optimum comfort



Latex Free Textile Elastic

- These materials have long life, are skin friendly and do not deform in high temperature
- Provide soft feel when in contact with skin and provide good fit

*Note: This respirator nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.

APPLICATION EXAMPLES

Automobile
Cement
Ceramics
Chemical
Construction

Powder coating, Oil spraying
Crushing, Bagging, Cement handling
Material mixing
Material handling
Sanding, Drilling, Cutting

Engineering
Mining
Pharmaceuticals
Textiles
Tyre

Sand Blasting, Cutting
Drilling, Material handling
Bulk drugs, Material handling
Spinning, Weaving
Carbon black



VENUS V-2910 SLV

CLASS: FFP1 NR D CE
Protection: Solid Dust / Mist
M.U.L: Upto 4 x OEL
Exhalation Vent Valve
Nose Liner

Item #	Colour	Elastic	Packing
110261701	WHITE	SEWN	Pack of 10



VENUS V-2920 SLV

CLASS: FFP2 NR D CE
Protection: Solid Dust / Mist
M.U.L: Upto 10 x OEL
Exhalation Vent Valve
Half Foam Seal

Item #	Colour	Elastic	Packing
110261801	WHITE	SEWN	Pack of 10



VENUS V-2930 SLV

CLASS: FFP3 NR D CE
Protection: Solid Dust / Mist
M.U.L: Upto 30 x OEL
Exhalation Vent Valve
Full Foam Seal

Item #	Colour	Elastic	Packing
110261601	WHITE	WELDED	Pack of 5



VENUS RPD513N95

CLASS: N95 
TC- 84A-7872
Protection: Non oil based particles
Nose Liner

Item #	Colour	Elastic	Packing
110262001	WHITE	WELDED	Pack of 20



VENUS RPD514N95

CLASS: N95 
TC- 84A-7873
Protection: Non oil based particles
Exhalation Vent Valve
Nose Liner

Item #	Colour	Elastic	Packing
110262101	WHITE	WELDED	Pack of 10



VENUS RPD713N95

CLASS: N95 
TC- 84A-7874
Protection: Non oil based particles
Half Foam Seal

Item #	Colour	Elastic	Packing
110261901	WHITE	WELDED	Pack of 20



VENUS RPD714N95

CLASS: N95 
TC- 84A-7875
Protection: Non oil based particles
Exhalation Vent Valve
Half Foam Seal

Item #	Colour	Elastic	Packing
110262201	WHITE	WELDED	Pack of 10
140256101	WHITE	WELDED	Blister pack of 3



VENUS RPD714N950AO

CLASS: N95 
TC- 84A-7881
Protection: Non oil based particles
Exhalation Vent Valve
Half Foam Seal
Nuisance Level of VOCs / acid gas / ozone
Activated carbon layer

Item #	Colour	Elastic	Packing
110262301	WHITE	WELDED	Pack of 10
140256301	WHITE	WELDED	Blister pack of 3



VENUS RPD814P95

CLASS: P95 
TC- 84A-7885
Protection: Oil based particles
Exhalation Vent Valve
Full Foam Seal
Flame Retardant outer layer

Item #	Colour	Elastic	Packing
110262501	WHITE	WELDED	Pack of 10
140256501	WHITE	WELDED	Blister pack of 3



*VENUS RPD814P950A

CLASS: P95 
TC- 84A-7884
Protection: Oil based particles
Exhalation Vent Valve | Full Foam Seal
Nuisance Level of VOCs / acid gas /
Activated carbon layer
Flame Retardant outer layer

Item #	Colour	Elastic	Packing
110262701	WHITE	WELDED	Pack of 5
140256401	WHITE	WELDED	Blister pack of 1



VENUS RPD614P95


CLASS: P95 
TC- 84A-8144
Protection: Oil based particles
Exhalation Vent Valve
Half Foam Seal

Item #	Colour	Elastic	Packing
110262401	WHITE	WELDED	Pack of 10

V-2400

Convex - Cup Seam Style

Products available with below approvals



FEATURES AND BENEFITS



Anti-Clogging

- Allow to use in multiple shift
- Single layer respirator



Compatible with other PPE

- Non-interference with other PPE - eye, hearing & head protection



Convex Cup Seam Style

- Popular face fitting, high performance
- No interference with communication
- Maintains high integrity of filter media
- Accommodates facial movements
- Classic collapse-resistance shell with seamed filter cover



Tough Shell

- Well-integrated structure maintains the shape disallowing collapse



Activated Carbon Granules Sandwiched Fabric Layer

- (V-2425, 2426, 2424, 2425, 2428, CN95 OV)
- For Adsorption of nuisance Level of obnoxious odour and vapour



Flame Retardant Outer Media (V2425)

- Enhanced user safety to protect from welding spark



Superior Technology Micro Fine Filter Media

- Protects against respirable particulate suspended particulate matter while improving breathing comfort
- Composed of multiple layers: pre-filter, fine filter and skin comfort layer
- Made from special engineered fabrics which are extremely easy to breathe but also provide higher protection up to 0.3micron



Aluminum nose clip

- Leak-proof fit
- It does not permit eyewear fogging



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air, minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F
- Helps in breathing comfort and enhances respirator wear for a longer period



Transparent Valve Vent

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustment requirements to provide a comfortable fit



Elastic Sewn Outside Filter Area

- Sewn head straps which provides better pull strength

*Note: This respirator nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.

APPLICATION EXAMPLES

Chemical Automobile

Material handling, Material processing
Painting, Powder coating, Welding,
Maintenance work

Battery Pharmaceuticals Ceramics

Lead handling
Bulk drugs, Material handling
Material mixing

Metal Fabrication Agriculture Engineering

Soldering, Welding, Metal pouring, Smelting
Pesticides, Insecticide spraying
Welding, Sand blasting, Buffing, Powder coating
Painting, Cutting
Maintenance

Effluent Treatment Plant



VENUS V-2424 SLOV-V

CLASS: FFP2 SLOV-V ☑
Protection: Solid Dust / Oil Mist
Nuisance Level of Organic Vapour
Mist & Odour < TLV
M.U.L: Upto 12 x OEL
Full Foam Seal
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110260701	GREY	SEWN	Pack of 10
140257201	GREY	SEWN	Blister pack of 3



VENUS V-2426 SL-AC

CLASS: FFP2 SL ☑
Protection: Solid Dust / Oil Mist
Nuisance Level of Odour Acid Gas < TLV
M.U.L: Upto 12 x OEL
Full Foam Seal

Item #	Colour	Elastic	Packing
110259801	BLUE	SEW/N	Pack of 10
140257301	D.BLUE	SEW/N	Blister pack of 3



VENUS V-2427 SL-HF

CLASS: FFP2 SL ☑
Protection: Solid Dust / Oil Mist
Nuisance Level of HF Odour < TLV
M.U.L: Upto 12 x OEL
Full Foam Seal

Item #	Colour	Elastic	Packing
110260601	L.BLUE	SEWN	Pack of 10
140257401	L.BLUE	SEWN	Blister pack of 3



VENUS V-2425 SLOV-V

CLASS: FFP2 SLOV ☑
Protection: Solid Dust / Oil Mist
Nuisance Level of Odour
Flame Retardant Outer Layer
M.U.L: Upto 12 x OEL
Full Foam Seal
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110260501	GREY	SEWN	Pack of 10
140257501	GREY	SEWN	Blister pack of 3



VENUS V-2428 SL-AM

CLASS: FFP2 SL ☑
Protection: Solid Dust / Oil Mist
Nuisance Level of Ammonia < TLV
M.U.L: Upto 12 x OEL
Full Foam Seal

Item #	Colour	Elastic	Packing
110260801	D.GREEN	SEWN	Pack of 10
140257601	D.GREEN	SEWN	Blister pack of 3



VENUS V-210 SL

CLASS: FFP1 NR D ☑☑
Protection: Solid Dust / Oil Mist
M.U.L: Upto 4 x OEL

Item #	Colour	Elastic	Packing
110259701	WHITE	SEWN	Pack of 25



VENUS V-210 SLV

CLASS: FFP1 NR D ☑☑
Protection: Solid Dust / Oil Mist
M.U.L: Upto 4 x OEL
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110260001	WHITE	SEWN	Pack of 15



VENUS V-220 SL

CLASS: FFP2 NR D ☑☑
Protection: Solid Dust / Oil Mist
M.U.L: Upto 10 x OEL

Item #	Colour	Elastic	Packing
110260201	WHITE	SEWN	Pack of 25



VENUS V-220 SLV

CLASS: FFP2 NR D ☑☑
Protection: Solid Dust / Oil Mist
M.U.L: Upto 10 x OEL
Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110260301	WHITE	SEWN	Pack of 15



VENUS V-2430 SLV

CLASS: FFP3 NR D CE
 Protection: Solid Dust / Oil Mist
 M.U.L: Upto 30 x OEL
 Exhalation Vent Valve
 Full Foam Seal

Item #	Colour	Elastic	Packing
110261101	WHITE	SEWN	Pack of 10



VENUS CN95 OV

CLASS: N95 *MOSH*
 TC- 84A-5632
 Protection: Non oil based particles
 Nuisance Level of odour
 Activated carbon layer

Item #	Colour	Elastic	Packing
110260401	GREY	SEWN	Pack of 15



VENUS CN95+

CLASS: N95 *MOSH*
 TC- 84A-7516
 Protection: Non oil based particles

Item #	Colour	Elastic	Packing
110258601	WHITE	STAPLED RUBBER	Pack of 20
140255901	WHITE	STAPLED RUBBER	Blister pack of 3



VENUS CVN95+

CLASS: N95 *MOSH*
 TC- 84A-7514
 Protection: Non oil based particles
 Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110261001	WHITE	STAPLED RUBBER	Pack of 15

VENUS CVN95

CLASS: N95 *MOSH*
 TC- 84A-5631
 Protection: Non oil based particles
 Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110260101	WHITE	SEWN	Pack of 15
140257101	WHITE	SEWN	Blister pack of 3



VENUS V-2400 N95+

CLASS: N95 *MOSH*
 TC- 84A-9300
 Protection: Non oil based particles
 Nose Liner

Item #	Colour	Elastic	Packing
110262801	WHITE	STAPLED	Pack of 20



VENUS V-2400 VN95+

CLASS: N95 *MOSH*
 TC- 84A-9301
 Protection: Non oil based particles
 Exhalation Vent Valve

Item #	Colour	Elastic	Packing
110268101	WHITE	STAPLED	Pack of 15



VENUS CN95

CLASS: N95 *MOSH*
 TC-84A-5492
 Protection: Non oil based particles

Item #	Colour	Elastic	Packing
130262901	WHITE	SEWN	Pack of 20
140257001	WHITE	SEWN	Blister pack of 3



VENUS V-2400SN95+

CLASS: N95 *MOSH*
 TC-84A-9264
 Protection: Non oil based particles

Size: Small

Item #	Colour	Elastic	Packing
130263001	WHITE	STAPLED	Pack of 25
140256001	WHITE	STAPLED	Blister pack of 3

V-1100

"FOLD FLAT" - Beetle Style

Products available with below approvals



FEATURES AND BENEFITS



Unique 3 Panel Beetle Design

- Accommodates facial movements which help you work and talk comfortably
- Fits wide profile of face shapes and sizes.
- Soft sides provides face seal comfort still centre stays away from mouth yet fits closely at the sides



Sewn head strap

- Provides better pull strength



Unique Fit Adjusters

- Present on head band which can be used to fit user face profile.



Latex free textile strap

- These materials have long life are skin friendly and do not deform in high temperature
- Provide soft feel when in contact with skin and provide good fit.




Embedded nose clip

- No metal exposure or lose parts
- Metal nose clip provides good fit



Superior technology micro fine filter media

- Made from special engineered fabrics which are extremely easy to breathe but also provide higher protection up to 0.3micron
- Composed of multiple layers which include pre-filter, fine filter & skin comfort layer



Fluid /Splash resistance for Medical Respirator

- Helps reduce potential exposure to blood and body fluids caused from splashes, spray or splatter



Stay Cool Butterfly vent valve (V-1120SLV & V-1130 SLV)

- Patented Butterfly design which reduces heat buildup inside mask by 10°F
- Helps in breathing comfort and enhances respirator wear for longer period



Compatible with other PPE's

- Noninterference with other PPE's Eye & hearing protection & head Protection.

Note: *For IS 19022 Below application not applicable.

APPLICATION EXAMPLES

Healthcare :

General Doctors, Dentist , Ophthalmologist, Surgeons, Physicians etc.

Laboratory :

Phlebotomist, Pathologist etc.

Pharmaceuticals :

Bulk drug, Charging application etc.



VENUS RPD723N95

CLASS: N95 **MOSH**

TC- 84A-7876

Protection: Non oil based particles

Item #	Colour	Elastic	Packing
130404101	WHITE	SEWN	Pack of 15
140491101	WHITE	SEWN	Blister pack of 3



VENUS RPD724N95

CLASS: N95 **MOSH**

TC- 84A-7880

Protection: Non oil based particles

Exhalation Vent Valve

Item #	Colour	Elastic	Packing
130403701	WHITE	SEWN	Pack of 10



VENUS Beetle V1110 SL

CLASS : FFP1 NR D CE

Protection: Solid Dust / Oil Mist

M.U.L:Upto 4 x OEL

Item #	Colour	Elastic	Packing
130403501	WHITE	SEWN	Pack of 15



VENUS Beetle V1110 SLV

CLASS : FFP1 NR D CE

Protection: Solid Dust / Oil Mist

M.U.L:Upto 4 x OEL

Exhalation Vent Valve

Item #	Colour	Elastic	Packing
130403201	WHITE	SEWN	Pack of 10



VENUS Beetle V1120 SL

CLASS : FFP2 NR D CE

Classification : EN 149:2001+A1:2009

Protection: Solid Dust / Oil Mist

M.U.L:Upto 10 x OEL

Item #	Colour	Elastic	Packing
130403601	WHITE	SEWN	Pack of 15



VENUS Beetle V1120 SLV

CLASS : FFP2 NR D CE

Classification : EN 149:2001+A1:2009

Protection: Solid Dust / Oil Mist

M.U.L:Upto 10 x OEL

Exhalation Vent Valve

Item #	Colour	Elastic	Packing
130403301	WHITE	SEWN	Pack of 10



VENUS Beetle V1130 SLV

CLASS : FFP3 NR D CE

Classification : EN 149:2001+A1:2009

Protection: Solid Dust / Oil Mist

M.U.L:Upto 30 x OEL

Exhalation Vent Valve

Item #	Colour	Elastic	Packing
130403401	WHITE	SEWN	Pack of 10



New!

VENUS Beetle V1120 Lite

CLASS : IN95 

Protection: Solid Dust / Oil Mist

M.U.L:Upto 12 x OEL

Item #	Colour	Elastic	Packing
130491601	WHITE	WELDED	Single's, Pack of 25



New!

VENUS Beetle V1110+

CLASS : IN99 

Protection: Solid Dust / Oil Mist

M.U.L:Upto 30 x OEL

Exhalation Vent Valve

Item #	Colour	Elastic
130492001	WHITE	WELDED



New!

VENUS V-Shwas Beetle BFC

CLASS : BFC 

Protection: Solid Dust / Oil Mist

M.U.L :Upto 4 x OEL

Item #	Colour	Elastic
130492101	WHITE	WELDED



New!

VENUS V-Shwas Beetle BFC

CLASS : BFC 

Protection: Solid Dust / Oil Mist

M.U.L :Upto 4 x OEL

Item #	Colour	Elastic	Packing
130492101	BLACK	WELDED	Bag of 3

V-2200

Convex - V20 Style

Products available with below approvals



FEATURES AND BENEFITS



Lightweight

- Lightweight construction promotes greater worker acceptance and may help increase wear time



Compatible with other PPE

- Non-interference with other PPE - eye, hearing & head protection



Convex Cup Seam Style

- Popular face fitting



Dual Shell Design

- Durable in repeat/long wears



Wide Aluminum Nose Clip

- Strong flexible clip to get customized fit around nose and avoid fogging of spectacles due to exhalation



Transparent vent Valve

- Transparent valve clearly demonstrates the performance of valve, it also supports fit verification



Stay Cool Butterfly Vent Valve

- Provides breathing comfort and promotes easy communication
- Removes exhaled air minimizes the risk of fogging eyewear
- Patented butterfly design which reduces heat build up inside the mask by 10°F
- Helps in breathing comfort and enhances respirator wear for a longer period



Unique Fit Adjuster Beads

- Unique fit adjusters present on the headband which can be used to fit the user's face profile
- Convenient to retrieve while using
- Easy to don & suits personal adjustments requirements to provide a comfortable fit



Elastic Sewn Outside Filter Area

- Sewn head straps provides better pull strength



Latex Free Textile Elastic

- These materials have long life, are skin friendly and do not deform in high temperature
- Provide soft feel when in contact with skin and provide good fit

APPLICATION EXAMPLES

Chemical
Automobile

Battery
Pharmaceuticals
Ceramics

Material handling, Material processing
Painting, Powder coating, Welding,
Maintenance work
Lead handling
Bulk drugs, Material handling
Material mixing

Metal Fabrication
Agriculture
Engineering

Effluent Treatment
Plant

Soldering, Welding, Metal pouring, Smelting
Pesticides, Insecticide spraying
Welding, Sand blasting, Buffing, Powder coating
Painting, Cutting
Maintenance



VENUS V-20 V

CLASS: FFP2 S 

Protection: Solid Dust / Mist

M.U.L: Upto 12 x OEL

Exhalation Valve Vent

Half Foam Seal

Item #	Colour	Elastic	Packing
110259401	WHITE	SEWN	Pack of 10
110259501	GREY	SEWN	Pack of 10
140256801	WHITE	SEWN	Blister pack of 3



VENUS V-2200 V

CLASS: FFP2 S 

Protection: Solid Dust / Mist

M.U.L: Upto 12 x OEL

Exhalation Valve Vent

Nose Liner

Item #	Colour	Elastic	Packing
110272301	WHITE	SEWN	Pack of 10



VENUS V-2200

CLASS: FFP2 S 

Protection: Solid Dust / Mist

M.U.L: Upto 12 x OEL

Nose Liner

Item #	Colour	Elastic	Packing
110258801	WHITE	STAPLED	Pack of 25



VENUS V-2210 V

CLASS: FFP1 S 

Protection: Solid Dust / Mist

M.U.L: Upto 4 x OEL

Exhalation Valve Vent

Nose Liner

Item #	Colour	Elastic	Packing
110272401	WHITE	SEWN	Pack of 15



VENUS V-2210 SLV

CLASS: FFP1 NR D 

Protection: Solid Dust / Oil Mist

M.U.L: Upto 4 x OEL

Exhalation Valve Vent

Item #	Colour	Elastic	Packing
110259601	WHITE	SEWN	Pack of 15



VENUS V-2230 SLV

CLASS: FFP3 SLV 

Protection: Solid Dust / Oil Mist

M.U.L: Upto 50 x OEL

Exhalation Valve Vent

Full Foam Seal

Item #	Colour	Elastic	Packing
110259301	WHITE	SEWN	Pack of 10
140256901	WHITE	SEWN	Blister pack of 3