

ROTARY DRILL

GBM 350 Professional



Technical Specifications

HSN code	84672100
Part no.	06011A95F1
Power input	350 W
No-load speed	0-2,000 rpm
Drilling capacity steel	10 mm
Drilling capacity wood	20 mm
Electronic switch	Yes
Reversible	Yes
Weight	1.2 kg
Scope of supply:	Keyed chuck 10 mm
	MRP: ₹3,700



ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06014775F0
Power input	600 W
No-load speed	0-2,600 rpm
Chuck capacity	1.5-13 mm
Drilling diameter in steel	13 mm
Drilling diameter in aluminium	13 mm
Drilling diameter in wood	30 mm
Weight	1.7 kg
Scope of supply:	Keyed chuck 13 mm
	MRP: ₹7,650



ROTARY DRILL

GBM 1600 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011B00F1
Power input	850 W
No-load speed	0-630 rpm
Rated torque	11 Nm
Lock-on button	Yes
Stirrer capacity	160 mm
Wood drilling	40 mm
Metal drilling	16 mm
Weight	3 kg
Scope of supply:	Auxiliary handle
	MRP: ₹17,850



ROTARY DRILL

GBM 50-2 Professional



Technical Specifications

HSN code	84672100
Part no.	06011B40F0
Power input	1,200 W
No-load speed	50-255/100-510 rpm
Annular cutter	Ø 50 mm
Max. twist drill	Ø 23 mm
Max. thread	M16
Magnetic force	14,000 N
Weight	14.7 kg
Scope of supply:	Carry case, MT2 drill drift, Hex key, Safety strap, Reduction sleeve, Pilot pin, Adapter for annular cutter, Cooling tank with hose, Cooling tank holder
	MRP: ₹1,32,500



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06012161FK
Input Power	450 W
Impact Rate	0-41,600 bpm
No-load speed	0-2,600 rpm
Max. drill capacity: masonry	10 mm
Max. drill capacity: steel	8 mm
Max. drill capacity: wood	20 mm
Weight	1.5 kg

MRP: ₹4,350

GSB 450 Professional



6

IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06011A03F0
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
Auxiliary handle, Depth gauge, Keyed chuck 13 mm

MRP: ₹4,700

GSB 600 Professional



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06012161F4
Power input	500 W
No-load speed	0-2,600 rpm
Impact rate at no-load speed	0-41,600 bpm
Drilling diameter in masonry wall	10 mm
Drilling diameter in steel	8 mm
Drilling diameter in wood	20 mm
Chuck capacity	1-10 mm
Weight	1.5 kg

Scope of supply:
100 Pc Kit in carrying case with drill machine

MRP: ₹9,100

GSB 10 RE KIT (100 Pc Kit) Professional



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06012161F8
Power input	500 W
No-load speed, 1 st gear	0-2,600 rpm
Impact rate at no-load speed	0-41,600 bpm
Chuck capacity, min./max.	1.5-10 mm
Weight	1.5 kg

Scope of supply:
100 Pc Kit in carrying case with drill machine

MRP: ₹9,100

GSB 500 RE KIT (100 Pc Kit) Professional



DRILLS

IMPACT DRILL

GSB 600 (100 Pcs Kit) Professional



Technical Specifications

HSN code	84672100
Part no.	06011A03F1
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
100 Pc Kit in carrying case
with drill machine

MRP: ₹9,600



IMPACT DRILL

GSB 600 Wrap Set Professional



Technical Specifications

HSN code	84672100
Part no.	06011A03F2
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
4 Pcs Concrete Drill Bits,
4 Pcs Metal Drill Bits, 10 Pcs Screw-
driver Bits, 4 Pcs Wood Drill Bits
Universal Holder, Screws and Plastic Plugs with carrying case

MRP: ₹7,300



IMPACT DRILL

GSB 16 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06012281F0
Rated input power	750 W
No-load speed	0-3,250 rpm
Chuck capacity	13 mm
Impact rate at no-load speed	0-48,500 bpm
Weight	1.8 kg

Scope of supply:
Auxiliary handle,
Chuck key,
Depth gauge

MRP: ₹12,550



IMPACT DRILL

GSB 20-2 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011A21F1
Power input	800 W
No-load speed (1/2" Gear)	1,100/3,000 rpm
Impact Rate	48,000 bpm
Max. drilling diameter (18/24 gear) Brickwork	20/16 mm
Steel	13/6 mm
Wood	40/25 mm
Weight	2.5 kg

Scope of supply:
Auxiliary handle,
Chuck key,
Depth gauge

MRP: ₹19,000



